

TYRES

Product group	Tyres
Item number	19111141
Valid tyre size	400 / 60 - 15.5
LI / SI / PR	152 A8 / 140 A8, 18 PR
TL/TT	TL
Brand	Deli
Tread pattern	Forestry 802



Notes and features

- The Deli SG-802 Forestry basic is a bias tyre featuring a particularly cut-resistant rubber compound.
- Its increased Shore hardness 70 enables it to be used as a forestry tyre.
- The tyre provides very good traction.
- Its tread pattern offers good self-cleaning properties.
- Ideal for light trailers.

Technical Informations

Item number	19111141
EAN	8994242016009
Valid tyre size	400 / 60 - 15.5
LI / SI / PR	152 A8 / 140 A8, 18 PR
TL/TT	TL
Brand	Deli
Tread pattern	Forestry 802
Carcass properties	C.R.
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	34,73
Recommended rim size	AG13.00
Maximum air pressure [bar].	5,00
Section width (mm)	400
Outer diameter of tyre [mm].	874
Stat. radius (SLR) [mm]	374
Rolling circumference [mm].	2590
Tread depth (mm)	18,2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
152 A8	3550	40	Free Rolling	5,00	
140 A8	2500	40	Drive Wheel	5,00	
	3875	40	Free Rolling	5,79	
	2725	40	Drive Wheel	5,79	