

TYRES

| | |
|-----------------|------------------------|
| Product group | Tyres |
| Item number | 19172431 |
| Valid tyre size | 400 / 60 - 15.5 |
| LI / SI / PR | 140 A8 / 152 A8, 18 PR |
| TL/TT | TL |
| Brand | Deli |
| Tread pattern | SG-802 |



Notes and features

- The Deli SG-802 Flotation is a bias flotation tyre for agricultural trailers.
- Its large contact area and low inflation pressure ensure low soil compaction.
- The tyre provides good traction on soft soils and grasslands.
- Its flotation tread pattern has good self-cleaning properties.

Technical Informations

| | |
|------------------------------|------------------------|
| Item number | 19172431 |
| EAN | 8994242016900 |
| Valid tyre size | 400 / 60 - 15.5 |
| LI / SI / PR | 140 A8 / 152 A8, 18 PR |
| TL/TT | TL |
| Brand | Deli |
| Tread pattern | SG-802 |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 106 |
| Nettogewicht [kg] (gültig) | 34,10 |
| Recommended rim size | AG13.00 |
| Permitted rim size | AG13 |
| Maximum air pressure [bar]. | 5,00 |
| Section width (mm) | 400 |
| Outer diameter of tyre [mm]. | 874 |
| Stat. radius (SLR) [mm] | 374 |
| Rolling circumference [mm]. | 2590 |
| Tread depth (mm) | 18,2 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|--------|--------------------|--------------|---------------|--------------------------|--------------|
| 140 A8 | 2500 | 40 | Drive Wheel | 5,00 | LLV |
| 152 A8 | 3550 | 40 | Free Rolling | 5,00 | LLV |
| | 3875 | 40 | Drive Wheel | 5,79 | |
| | 2725 | 40 | Free Rolling | 5,79 | |