

TYRES

Product group	Tyres	
Item number	19211111	
Valid tyre size	110 / 90 - 6	
LI / SI / PR	57 A4 / 68 A4, 6 PR	
TL/TT	тт	
SET	Tube	
Brand	Kenda	
Tread pattern	K311	



Notes and features

• The Kenda K311 was specially developed for use on agricultural transport equipment.



Technical Informations

Item number 19211111 EAN 5707562523378	
EAN 5707562523378	
0.0100202000	
Valid tyre size 110 / 90 - 6	
Alternative size 1 4.00-6	
LI / SI / PR 57 A4 / 68 A4, 6 PR	
TL/TT TT	
SET Tube	
Valve designation TR 13	
Ventilposition lateral	
Brand Kenda	
Tread pattern K311	
Antistatic No	
Tyre colour Black	
ECE regulation number ECE 106	
Nettogewicht [kg] (gültig) 1,28	
Recommended rim size 2.25	
Permitted rim size 2.50	
Maximum air pressure [bar]. 6,00	
Section width (mm) 99	
Outer diameter of tyre [mm]. 350	
Rolling circumference [mm]. 1045	
E-Ready No	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
57 A4	230	20		6,00	
68 A4	315	20		6,00	