Bohnenkamp Moving Professionals

20.09.2024

TYRES

Product group	Tyres	
Item number	19266075	
Valid tyre size	185 / 60 R 12 C	
LI / SI / PR	104 / 101 N	
TL/TT	TL	
Brand	Kenda	
Tread pattern	KR16 Kargo Pro	



Notes and features

• Versatile and reliable high-speed car trailer tyre.

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes.Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.

Bohnenkamp Moving Professionals

Technical Informations

Item number	19266075
EAN	5707562269023
Valid tyre size	185 / 60 R 12 C
LI / SI / PR	104 / 101 N
TL/TT	TL
Brand	Kenda
Tread pattern	KR16 Kargo Pro
M+S	M+S
Rolling resistance	D
Wet grip	C
Rolling noise [db].	70
Rolling noise level	В
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	7,49
Recommended rim size	5.5
Maximum air pressure [bar].	6,50
Section width (mm)	189
Outer diameter of tyre [mm].	528
Stat. radius (SLR) [mm]	242
Rolling circumference [mm].	1608
E-Ready	No

20.09.2024

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes.Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
104 N	900	140		6,50	
101 N	825	140		6,50	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes.Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.