

TYRES

Product group	Tyres
Item number	19266077
Valid tyre size	225 / 55 R 12 C
LI / SI / PR	112 N, 10 PR
TL/TT	TL
Brand	Kenda
Tread pattern	KR33A



Bohnenkamp
Moving Professionals

Notes and features

- The Kenda KR33A is a tyre specially designed for agricultural purposes and car trailer use and has an extra wide tread pattern.

Technical Informations

Item number	19266077
EAN	5707562618838
Valid tyre size	225 / 55 R 12 C
LI / SI / PR	112 N, 10 PR
TL/TT	TL
Brand	Kenda
Tread pattern	KR33A
M+S	M+S
Rolling resistance	D
Wet grip	C
Rolling noise [db].	71
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	10,00
Recommended rim size	7.00J
Permitted rim size	5.50J, .50J
Maximum air pressure [bar].	6,90
Section width (mm)	225
Outer diameter of tyre [mm].	554
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
112 N	1120	140		6,90	
	1120	90		6,90	