

## **TYRES**

Product group	Tyres	
Item number	19266109	
Valid tyre size	155 R 13 C	
LI / SI / PR	91 / 89 N	
TL/TT	TL	
Brand	Kenda	
Tread pattern	KR500 Winter Trailer	



## Notes and features

- The Kenda KR500 is an all-season trailer tyre.
- It provides safe and comfortable driving in wintry conditions.
- The extra wide grooves help to disperse water and snow, ensuring safety in wintry road conditions.



## **Technical Informations**

Item number	19266109
EAN	4040658088346
Valid tyre size	155 R 13 C
LI / SI / PR	91 / 89 N
TL/TT	TL
Brand	Kenda
Tread pattern	KR500 Winter Trailer
M+S	M+S
3PMSF	3PMSF
Carcass properties	Spike-ability
Rolling resistance	E
Wet grip	В
Rolling noise [db].	72
Rolling noise level	В
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 117,ECE 54
Nettogewicht [kg] (gültig)	6,77
Recommended rim size	4.00B
Permitted rim size	4J, 4.50B, 4.50J, 5.0B, 5J
Maximum air pressure [bar].	4,50
Section width (mm)	149
Outer diameter of tyre [mm].	576
Tread depth (mm)	8,7
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
91 N	615	140		4,50	
89 N	580	140		4,50	