

TYRES

Product group	Tyres
Item number	19266124
Valid tyre size	165 R 13 C
LI / SI / PR	96 / 94 N
TL/TT	TL
Brand	Kenda
Tread pattern	KR500 Winter Trailer



Notes and features

- The Kenda KR500 is an all-season trailer tyre.
- It provides safe and comfortable driving in wintry conditions.
- The extra wide grooves help to disperse water and snow, ensuring safety in wintry road conditions.

Technical Informations

Item number	19266124
EAN	4040658092862
Valid tyre size	165 R 13 C
LI / SI / PR	96 / 94 N
TL/TT	TL
Brand	Kenda
Tread pattern	KR500 Winter Trailer
M+S	M+S
3PMSF	3PMSF
Carcass properties	Spike-ability
Rolling resistance	E
Wet grip	B
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	7,80
Recommended rim size	4.50J
Maximum air pressure [bar].	4,50
Section width (mm)	164
Outer diameter of tyre [mm].	596
Tread depth (mm)	8,7
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
96 N	710	140		4,50	
94 N	670	140		4,50	