

TYRES

Product group	Tyres
Item number	19266137
Valid tyre size	215 R 14 C
LI / SI / PR	116 / 114 N
TL/TT	TL
Brand	Kenda
Tread pattern	KR101 MasterTrail 3G



Bohnenkamp
■ ■ ● Moving Professionals

Notes and features

- The Kenda KR101 MasterTrail 3G is a tyre for single axle car trailers, tandem, tridem and other heavy trailers.
- The strong casing enables very high loading capacities.
- Due to its tread pattern, the tyre provides low rolling resistance, good wet grip and low noise.
- The high number of sipes ensures good dispersion of water, slush and snow for excellent driving performance all year round.
- The reinforced inner liner construction keeps the tyre particularly airtight and puncture-proof.

Technical Informations

Item number	19266137
EAN	5707562674636
Valid tyre size	215 R 14 C
LI / SI / PR	116 / 114 N
TL/TT	TL
Brand	Kenda
Tread pattern	KR101 MasterTrail 3G
M+S	M+S
Rolling resistance	A
Wet grip	C
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	11,00
Recommended rim size	6J
Permitted rim size	5.50J, 6.50J, 7J
Maximum air pressure [bar].	4,75
Section width (mm)	218
Outer diameter of tyre [mm].	700
Stat. radius (SLR) [mm]	312
Rolling circumference [mm].	2121
Tread depth (mm)	5,8
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
116 N	1250	140		4,75	
114 N	1180	140		4,80	