

## TYRES

Product group	Tyres
Item number	19812554
Valid tyre size	400 / 60 - 15.5
LI / SI / PR	14 PR
TL/TT	TL
Brand	MRL
Tread pattern	Prince 335



## Notes and features

- The MRL Prince 335 is a bias flotation tyre for agricultural and forestry trailers and forestry harvesters.
- Due to its great flotation characteristics, the tyre offers high loading capacities with minimum soil compaction.
- Thanks to its dual bead construction and reinforced sidewall, extra high load capacities are possible.
- The tyre is best suited to on- and off-road applications.

## Technical Informations

Item number	19812554
EAN	8907375052431
Valid tyre size	400 / 60 - 15.5
LI / SI / PR	14 PR
TL/TT	TL
Brand	MRL
Tread pattern	Prince 335
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	34,20
Recommended rim size	AG13
Permitted rim size	13
Maximum air pressure [bar].	3,60
Section width (mm)	404
Outer diameter of tyre [mm].	874
Stat. radius (SLR) [mm]	380
Rolling circumference [mm].	2561
Tread depth (mm)	20,0
Number of lugs	23x2
Tyre capacity 75% [litr.]	108
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
145 A6	2900	30		3,60	LLV
141 A8	2575	40		3,60	LLV