

TYRES

Product group	Tyres
Item number	19812557
Valid tyre size	15.0 / 55 - 17
LI / SI / PR	10 PR
TL/TT	TL
Brand	MRL
Tread pattern	MIM 374



Notes and features

- The MRL MIM 374 is an agricultural tyre for tractors, which can also be used on backhoe loaders and agricultural trailers.
- Its curved lugs with wide spaces provide good traction, ride comfort, self-cleaning and a long service life.
- The especially wide lugs enable good ground contact for excellent traction on towing machines.

Technical Informations

Item number	19812557
EAN	8907375015993
Valid tyre size	15.0 / 55 - 17
LI / SI / PR	10 PR
TL/TT	TL
Brand	MRL
Tread pattern	MIM 374
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	32,40
Recommended rim size	13
Permitted rim size	13
Maximum air pressure [bar].	2,60
Section width (mm)	391
Outer diameter of tyre [mm].	895
Stat. radius (SLR) [mm]	379
Rolling circumference [mm].	2650
Tread depth (mm)	23,0
Number of lugs	17x2
Tyre capacity 75% [ltr.]	104
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
134 A6	2120	30		2,60	LLV
130 A8	1900	40		2,60	LLV