

TYRES

Product group	Tyres
Item number	19812558
Valid tyre size	11.5 / 80 - 15.3
LI / SI / PR	12 PR
TL/TT	TL
Brand	MRL
Tread pattern	MIM 374



Notes and features

- The MRL MIM 374 is an agricultural tyre for tractors, which can also be used on backhoe loaders and agricultural trailers.
- Its curved lugs with wide spaces provide good traction, ride comfort, self-cleaning and a long service life.
- The especially wide lugs enable good ground contact for excellent traction on towing machines.

Technical Informations

Item number	19812558
EAN	8907375005581
Valid tyre size	11.5 / 80 - 15.3
LI / SI / PR	12 PR
TL/TT	TL
Brand	MRL
Tread pattern	MIM 374
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	25,75
Recommended rim size	9
Permitted rim size	9
Maximum air pressure [bar].	4,10
Section width (mm)	290
Outer diameter of tyre [mm].	845
Stat. radius (SLR) [mm]	354
Rolling circumference [mm].	2473
Tread depth (mm)	23,0
Number of lugs	19x2
Tyre capacity 75% [litr.]	65
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
135 A6	2180	30		4,10	LLV
131 A8	1950	40		4,10	LLV