

TYRES

Product group	Tyres
Item number	19812561
Valid tyre size	10.0 / 75 - 15.3
LI / SI / PR	10 PR
TL/TT	TL
Brand	MRL
Tread pattern	MIM 374



Notes and features

- The MRL MIM 374 is an agricultural tyre for tractors, which can also be used on backhoe loaders and agricultural trailers.
- Its curved lugs with wide spaces provide good traction, ride comfort, self-cleaning and a long service life.
- The especially wide lugs enable good ground contact for excellent traction on towing machines.

Technical Informations

Item number	19812561
EAN	8907375000609
Valid tyre size	10.0 / 75 - 15.3
LI / SI / PR	10 PR
TL/TT	TL
Brand	MRL
Tread pattern	MIM 374
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	19,90
Recommended rim size	9
Permitted rim size	9
Maximum air pressure [bar].	3,90
Section width (mm)	264
Outer diameter of tyre [mm].	760
Stat. radius (SLR) [mm]	343
Rolling circumference [mm].	2227
Tread depth (mm)	23,0
Number of lugs	18x2
Tyre capacity 75% [ltr.]	45
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
123 A6	1550	30		3,90	LLV
119 A8	1360	40		3,90	LLV