

## **TYRES**

Product group	Tyres
Item number	19866014
Valid tyre size	145 / 80 R 13
LI / SI / PR	79 N
TL/TT	TL
Brand	GT Radial
Tread pattern	KargoMax ST 4000 XL





## **Notes and features**

- The KARGO MAX ST-4000 achieves a high mileage and is especially suited to commercial trailers.
- These tyres are approved exclusively for trailer usage.



## **Technical Informations**

Item number	19866014	
EAN	6932877123077	
Valid tyre size	145 / 80 R 13	
LI / SI / PR	79 N	
TL/TT	TL	
Brand	GT Radial	
Tread pattern	KargoMax ST 4000 XL	
M+S	M+S	
Rolling resistance	D	
Wet grip	С	
Rolling noise [db].	70	
Rolling noise level	В	
Antistatic	No	
Tyre colour	Black	
ECE regulation number	ECE 30,ECE 117	
Nettogewicht [kg] (gültig)	5,65	
Recommended rim size	d rim size 4.00B	
Permitted rim size	3.50B, 3.50J, 4.00J, 4.50B, 4.50J, 5.00B	
Maximum air pressure [bar].	3,00	
Section width (mm)	145	
Outer diameter of tyre [mm].	562	
Stat. radius (SLR) [mm]	256	
Rolling circumference [mm].	1714	
E-Ready	No	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
79 N	437	140		3,00	