

TYRES

| | |
|-----------------|------------------|
| Product group | Tyres |
| Item number | 19866018 |
| Valid tyre size | 165 / 70 R 13 |
| LI / SI / PR | 80 N |
| TL/TT | TL |
| Brand | GT Radial |
| Tread pattern | KargoMax ST 4000 |



Notes and features

- The KARGO MAX ST-4000 achieves a high mileage and is especially suited to commercial trailers.
- These tyres are approved exclusively for trailer usage.

Technical Informations

| | |
|------------------------------|------------------|
| Item number | 19866018 |
| EAN | 6932877112965 |
| Valid tyre size | 165 / 70 R 13 |
| LI / SI / PR | 80 N |
| TL/TT | TL |
| Brand | GT Radial |
| Tread pattern | KargoMax ST 4000 |
| M+S | M+S |
| Rolling resistance | D |
| Wet grip | C |
| Rolling noise [db]. | 69 |
| Rolling noise level | B |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 30,ECE 117 |
| Nettogewicht [kg] (gültig) | 6,34 |
| Recommended rim size | 5.00B |
| Maximum air pressure [bar]. | 2,60 |
| Section width (mm) | 170 |
| Outer diameter of tyre [mm]. | 562 |
| Stat. radius (SLR) [mm] | 256 |
| Rolling circumference [mm]. | 1714 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 80 N | 450 | 140 | | 2,60 | |