

TYRES

Product group	Tyres
Item number	19866023
Valid tyre size	185 R 14 C
LI / SI / PR	104 / 102 N
TL/TT	TL
Brand	GT Radial
Tread pattern	KargoMax ST 6000



Bohnenkamp
■ ■ ● Moving Professionals



Notes and features

- The Kargomax ST-6000 is a tyre for car trailers and caravans.
- This tyre is an optimum synthesis of traction, ride comfort and durability.
- The newly developed rubber compound ensures high mileage and low rolling resistance.
- The tyres are approved for trailer use only.

Technical Informations

Item number	19866023
EAN	6932877115225
Valid tyre size	185 R 14 C
LI / SI / PR	104 / 102 N
TL/TT	TL
Brand	GT Radial
Tread pattern	KargoMax ST 6000
M+S	M+S
Rolling resistance	C
Wet grip	C
Rolling noise [db].	70
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	9,88
Recommended rim size	5.5J
Permitted rim size	6J
Maximum air pressure [bar].	4,50
Section width (mm)	188
Outer diameter of tyre [mm].	650
Stat. radius (SLR) [mm]	293
Rolling circumference [mm].	1983
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
104 N	900	140		4,50	
102 N	850	140		4,50	