

TYRES

Product group	Tyres
Item number	19965365
Valid tyre size	205 / 65 R 15 C
LI / SI / PR	102 / 100 T
TL/TT	TL
Brand	Ovation
Tread pattern	V-02



Notes and features

- Dear trading partner, this item is not part of our main programme. For this reason, we can only publish limited technical information in the online shop.
- For further information, please do not hesitate to contact us by telephone
- Agricultural machinery business: +49 541 12163-100
- Tyre business: +49 541 12163-200

Technical Informations

Item number	19965365
EAN	4040658062940
Valid tyre size	205 / 65 R 15 C
LI / SI / PR	102 / 100 T
TL/TT	TL
Brand	Ovation
Tread pattern	V-02
Rolling resistance	D
Wet grip	C
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	9,00
Recommended rim size	6
Permitted rim size	5.5, 6.5
Maximum air pressure [bar].	3,75
Section width (mm)	209
Outer diameter of tyre [mm].	647
Stat. radius (SLR) [mm]	297
Rolling circumference [mm].	1960
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
102 T	850	190	Single	3,75	
100 T	800	190	Twin	3,75	