

## TYRES

|                 |                 |
|-----------------|-----------------|
| Product group   | Tyres           |
| Item number     | 19968067        |
| Valid tyre size | 215 / 75 R 17.5 |
| LI / SI / PR    | 135 / 133 K     |
| TL/TT           | TL              |
| Brand           | Barum           |
| Tread pattern   | BT 200 R        |



Bohnenkamp  
■ ■ ● Moving Professionals

**Barum**

## Notes and features

- The Barum BT 200 R is an all-season tyre for trailer axles.
- The tyre provides great mileage, excellent wet grip and high cut resistance.

## Technical Informations

|                              |                 |
|------------------------------|-----------------|
| Item number                  | 19968067        |
| EAN                          | 4024063749337   |
| Valid tyre size              | 215 / 75 R 17.5 |
| LI / SI / PR                 | 135 / 133 K     |
| TL/TT                        | TL              |
| Brand                        | Barum           |
| Tread pattern                | BT 200 R        |
| M+S                          | M+S             |
| Axle position truck          | TR              |
| Rolling resistance           | D               |
| Wet grip                     | C               |
| Rolling noise [db].          | 70              |
| Rolling noise level          | A               |
| Antistatic                   | No              |
| Tyre colour                  | Black           |
| ECE regulation number        | ECE 54          |
| Nettogewicht [kg] (gültig)   | 27,80           |
| Recommended rim size         | 6.00            |
| Maximum air pressure [bar].  | 8,50            |
| Section width (mm)           | 218             |
| Outer diameter of tyre [mm]. | 773             |
| Stat. radius (SLR) [mm]      | 359             |
| Rolling circumference [mm].  | 2377            |
| Tread depth (mm)             | 11,5            |
| E-Ready                      | No              |

## Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 135 K | 2180               | 110          | Single        | 8,50                     |              |
| 133 K | 2060               | 110          | Twin          | 8,50                     |              |