

## TYRES

Product group	Tyres
Item number	72400093
Valid tyre size	650 / 65 R 42
LI / SI / PR	173 A8 / 170 D
TL/TT	TL
Brand	Alliance
Tread pattern	Agristar 365
Sonderpostenkategorie	Disassembled
type of damage	Dismounted



## Notes and features

- Agricultural radial wide tyre of the 65 series (70 series with 710 width) for powerful tractors up to approx. 250 hp.
- Very gentle tillage due to high air volume and large contact area.
- Lug shape and arrangement allows optimum traction power distribution.
- With 65 km/h approval, suitable for frequent road use.

## Technical Informations

Item number	72400093
Valid tyre size	650 / 65 R 42
LI / SI / PR	173 A8 / 170 D
TL/TT	TL
Brand	Alliance
Tread pattern	Agristar 365
Antistatic	No
Tyre colour	Black
Nettogewicht [kg] (gültig)	235,20
Recommended rim size	DW20
Permitted rim size	DW20B
Maximum air pressure [bar].	3,20
Section width (mm)	650
Outer diameter of tyre [mm].	1935
Stat. radius (SLR) [mm]	875
Speed Radius Index (SRI)	925
Rolling circumference [mm].	5845
Contact area [cm <sup>2</sup> ]	2783.1
Tread depth (mm)	58,0
Number of lugs	22x2
Tyre capacity 75% [ltr.]	607.95
Guarantee period	7 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
173 A8	6500	40		3,20	
170 D	6000	65		3,20	