

## TYRES

Product group	Tyres
Item number	72500033
Valid tyre size	650 / 65 R 42
LI / SI / PR	161 A8 / 158 D
TL/TT	TL
Brand	Alliance
Tread pattern	Agristar 365
Sonderpostenkategorie	Damaged
type of damage	Flap damage



## Notes and features

- Agricultural radial wide tyre of the 65 series (70 series with 710 width) for powerful tractors up to approx. 250 hp.
- Very gentle tillage due to high air volume and large contact area.
- Lug shape and arrangement allows optimum traction power distribution.
- With 65 km/h approval, suitable for frequent road use.

## Technical Informations

Item number	72500033
Valid tyre size	650 / 65 R 42
LI / SI / PR	161 A8 / 158 D
TL/TT	TL
Brand	Alliance
Tread pattern	Agristar 365
Antistatic	No
Tyre colour	Black
Nettogewicht [kg] (gültig)	231,69
Recommended rim size	DW20B
Permitted rim size	DW21B, DW23B
Maximum air pressure [bar].	1,60
Section width (mm)	667
Outer diameter of tyre [mm].	1945
Stat. radius (SLR) [mm]	882
Rolling circumference [mm].	5911
Tread depth (mm)	52,0
Number of lugs	22x2
Lug width (mm)	56,5
Tyre capacity 75% [ltr.]	699
Guarantee period	7 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
161 A8	4625	40		1,60	
158 D	4250	65		1,60	